

China, Mainland

CE, ROHS, FCC, PSE, ISO9001

skymen

JP-100S

Negotiation

carton box

1000 units per day

In Stock

30L 600W Benchtop Ultrasonic Cleaner ,PC board ultrasonic cleaner

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 Unit
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: T/T; Paypal
- Supply Ability:



Product Specification

- Meterial:
- Tank Size:
- Capacity:
- Ultrasonic Power:
- Frequency:
- Heater:
- Timer:
- Unit Size:
- N.W:
- Highlight:

SUS304 Stainless Steel 500x300x200mm 30L 600W 40Khz 500W 1-30 Minutes Setting 530x325x325mm 16kg

table top ultrasonic cleaner, ultrasonic cleaning equipments



More Images




industrial 30L 600W 500W heater for auto engine parts and medical instruments ultrasonic cleaner

Specification:

Model	JP-100S	Heater	20~80
Ultrasonic power	600W		AC 100~120V, 60Hz AC 220~240V, 50Hz
Frequency	40KHz	Tank size	500*300*200 mm
Shell material	SUS304	Unit size	530*325*325 mm
Tank material	SUS304	Packing size	635*405*390mm
Heating power	500W	N.W.	15 Kg
Tank capacity	30 L	G.W.	16 Kg
Timer	Digital 1-30min adjustable	Certificate	RoHs/CE/FCC/PSE/ISO90 01

Details Photos:









Just get used to the details







Insulation handle design

Insulation handle design , anti - static , anti - high temperature , not slippery hand , more secure .

Stainless steel drain valve

The water outlet is made of high - quality stainless steel , corrosion - resistant and switch adjustable





Filtered drain holes

The drainage hole of cleaning machine increases the filter screen, convient users to cleaning small parts. To provent the parts from entering the draninage hole that cause unnecessary losses.

Cleaning effect:

COMPARISON OF CLEANING EFFECT

















Company profile:



86-755-27094405



Skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen