



# SUS 304 Material Industrial Ultrasonic Cleaner 28/40KHz For Heavy Grease / Oil 80L

#### **Basic Information**

. Place of Origin: Shenzhen, China

. Brand Name: Skymen

RoHS, CE, FCC, SGS · Certification:

JP-2048G Model Number:

• Minimum Order Quantity:

• Price: Negotiation Wooden case · Packaging Details: • Delivery Time: In Stock Payment Terms: T/T

. Supply Ability: 800 pcs per month



## **Product Specification**

Model: JP-2048G First Tank Volume:

• First Tank Size: 550X400X350mm

Transducers: 48pcs; 24pcs Of Every Tank • Ultrasonic Power: 2400W; 1200W Of Every Tank . Heating Power: 6000W; 3000W Of Every Tank • Filtration Cycle System: Connected With 1st Tank

28/40KHz • Frequency:

• Highlight: automotive ultrasonic cleaner,

ultrasonic cleaning device



## **Product Description**

#### Same series with different size:

Model	Size of every tank	Tank Volume	Ultrasoni c Power	Heating Power	Transducer
	L*W*H (mm)	(L)	(W)	(W)	(pcs)
JP-2024G	500X300X25 0	38L*2	600W*2	1500W*2	24pcs
JP-2036G	500X350X30 0	53L*2	900W*2	1500W*2	36pcs
JP-2048G	550X400X35 0	77L*2	1200W*2	3000W*2	48pcs
JP-2060G	550X450X40 0	99L*2	1500W*2	3000W*2	60pcs
JP-2072G	600X500X45 0	135L*2	1800W*2	4500W*2	72pcs
JP-2096G	700X500X50 0	175L*2	2400W*2	6000W*2	96pcs
JP-2120G	800X600X55 0	264L*2	3000W*2	6000W*2	120pcs
JP-2144G	1000X600X6 00	360L*2	3600W*2	9000W*2	144pcs
JP-2216G	1000X900X6 00	540L*2	5400W*2	18000W*2	216pcs
JP-2288G	12000*1000* 800	960L*2	7200W*2	27000W*2	228pcs

#### SUS 304 Material Industrial Ultrasonic Cleaner 28/40KHz For Heavy Grease / Oil 80L

#### Specification

opoomounon		
Model	JP-2048G	
1st Tank Volume	77L	
2nd Tank Volume	77L	
First tank size	550X400X350mm	
Second tank size	550X400X350mm	
Transducers	48pcs 50W of every transducer, 24pcs of every tank	
Ultrasonic Power	2400W 1200W of every tank	
Heating Power	6000W 3000W of evey tank	
Frenquency	28KHz/40KHz	
Filtration Cycle System	1 set	
Generator	2 set	
Unit size	1450*1050*760mm	
Packing size	1510*1110*880mm	
Timer	0~99 minutes adjustable	
Heater	Room temperature~99 adjustable	
Material	SUS 304 default, can be SUS 316	
Power Supply	AC 220V 3 phase ; AC 380V 3 phase	
N.W.	220KG	
G.W.	250KG Wrapped by film in wooden case	
Lead time	18 working days	
Warranty	1 year warranty period, technique support all time	
Certificates	CE, RoHS, FCC, SGS	
Advantage	vantage Filter the dirty water; keep the water clear in tank; lower the frequency of changing water	

## Images:



Clean effect:

# COMPARISON OF CLEANING EFFECT


























#### Features:

With inlet and outlet for cleaning solution

Stainless steel tank has resistance to wear and long work life.

Free setting from 1 min to 99mins.

Normal 95 temperature .

With Stainless steel basket

Industrial trade power cord, more safer

With the filter system save detergent, more environmentally friendly

Use just tab water, or industrial alcohol and solvent cleaner for more higher cleaning requirement

100% brand new and high quality!

#### History:

Skymen Cleaning Equipment Shenzhen Co., Ltd., was founded in 2007, which follows the brand development strategy of "based in Shenzhen, radiating throughout the country, expanding overseas".

Skymen also owns a professional R&D team to keep the pace with international ultrasonic technology. A passionate and young sales team sell to the world through different channels.



#### **Skymen Technology Corporation Limited**



86-755-27094405



info@skymen.cc



skymenultrasonic.com