# **Skymen Technology Corporation Limited** skymenultrasonic.com

## Stainless Steel Tank Industrial Ultrasonic Cleaner 10 Liter Removing Rust / Grease

#### **Basic Information**

. Place of Origin: China SKYMEN . Brand Name:

CE, RoHS, FCC, REACH · Certification:

040S Model Number: • Minimum Order Quantity:

• Price: Negotiation Packaging Details: Carton box • Delivery Time: In Stock Payment Terms: T/T

. Supply Ability: 5000pcs per month



#### **Product Specification**

040S Model: · Capacity: 10L

CE, RoHS, FCC . Certification: Cleaning Type: Immersion / Soak 300\*240\*150cm Internal Tank Size:

• Transducer: 4pcs Ultrasonic Power: 240W Heating Power: 200W

Highlight: ultrasonic cleaning device, ultrasonic washing machine



### **Product Description**

#### Chain Ultrasonic Cleaner 10 Liter Removing Rust and Grease with 200W Heating Power

#### Stainless Bench Top



Model	Capacity	Tank Size	Ultrasonic Power	Heating Power	Frequency
	(L)	(L*W*H)mm	(W)	(W)	(KHz)
800	0.8	150*85*65	35	0	40
009	0.9	150*135*65	60	100	40
010T	2	150*165*100	60	100	40
020S	3.2	240*135*100	120	100	40
030S	4.5	300*150*100	180	200	40
031S	6.5	300*150*150	180	200	40
040S	10	300*240*150	240	200	40
060S	15	330*300*150	360	300	40
080S	22	500*300*150	480	500	40
100S	30	500*300*200	600	500	40

#### Industrial Ultrasonic Cleaning Machine



	Capaci	Tank Size	Transduce	Ultrasonic	Heating	Frequenc
Model	ty	Talik Size	rs	Power	Power	у
	(L)	(L*W*H)mm	(pcs)	(W)	(W)	(KHz)
JP- 120ST	38	500X300X250	12	600	1500	28/40
JP- 180ST	53	500X350X300	18	900	1500	28/40
JP- 240ST	77	550X400X350	24	120	3000	28/40
JP- 300ST	99	550X450X400	30	1500	3000	28/40
JP- 301ST	99	800X300X400	30	1500	3000	28/40
JP- 360ST	135	600X500X450	36	1800	4500	28/40
JP- 480ST	175	700X500X500	48	2400	6000	28/40
JP- 600ST	264	800X600X550	60	3000	6000	28/40
JP- 720ST	360	1000X600X60 0	72	3600	9000	28/40

JP- 1108ST	540	1000X900X60 0	108	5400	18000	28/40
JP- 1144ST	960	1200X1000X8 00	144	7200	27000	28/40

#### Cleaning Effect:







After





#### Main performance characteristics

The washing machine is operated by single chip software.

The cleaning machine's sound reduction cover and cleaning tank are made of high quality stainless steel.

The washing machine has good sealing performance and has sound insulation and heat insulation effect.

Digital display over temperature, over voltage, over current, low water level, no solution protection indication.

Digital memory, setting display ultrasonic working time, ultrasonic power, liquid level (and actual liquid level), heating temperature (and actual temperature).

The cleaning machine circuit has an automatic frequency sweep function, which can generate a continuous pulse jet, which makes the cleaning effect more obvious and the work is more stable.

The cleaning circuit and device are upgraded and matched, and the power conversion rate is high and the reactive power loss is low.



#### **Skymen Technology Corporation Limited**



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen