

Air Filter Cleaning 304 Stainless Steel Ultrasonic Cleaner energy no damage

Basic Information

. Place of Origin: Shenzhen, China . Brand Name: SKYMEN CE · Certification: JP-100S Model Number: • Minimum Order Quantity: 1 unit • Price: Negotiation 1unit/carton box · Packaging Details: • Delivery Time: In Stock Payment Terms: Paypal

Supply Ability: 1000unit/per month



Product Specification

• Tank Material: SUS304

• Tank Size: 500*300*200mm

Ultrasonic Power: 600WUltrasonic Frequency: 40KHzHeating Power: 500W

• Unit Size: 530*325*325mm

Timer: Digital 1-30min AdjustableHeater: Digital 0~80 Adjustable

• Voltage: AC 100 ~ 120V, 50 / 60Hz; AC 220 ~ 240V,

50 / 60 Hz

• Highlight: skymen ultrasonic cleaner,

ultrasonic bath cleaner



More Images





Cleaning filters may be more cost effective than replacing.

When filters – whether for air, water, oil, cooking range grease, dust or other contaminants – become dirty and an ultrasonic filter cleaner could be a very practical alternative to the cost of replacing them, especially for businesses that require frequent filter replacement. Some types of filters do not lend themselves to refurbishing in filter cleaning equipment. Typically these are made out of fiber that traps particles so effectively that ultrasonic cleaning is impractical. In such cases the best choice may be discarding and replacing.

Save cost, time and more effective.

JP-100S specifiactions below

Model	JP-100S(digital timer&heater)				
	,				
Tank capacity	30L (with drainage)				
Tank size(mm)	500*300*200(L*W*H)				
Unit size(mm)	530*325*325				
Box packing(mm)	635*405*390				
Ultrasonic power	600W				
Heating power	500W				
Timer	1~30min adjustable				
Heater	0 ~80C adjustable				
Frequency	40KHz				

Accessories details tank size:500 x300x200 sus basket (optional) power cord upgrade driver board

Packing list

1*ultrasonic cleaner 30L

high power transducer

- 1* basket
- 1* lid
- 1* English manual
- 1* power cord



EU PLUG



UK PLUG



AU PLUG



US PLUG

Other size Digital ultrasonic cleaner 2L~30L

Model	Tank size	Unit size	Volum e	Ultrasoni c power	Ultrasonic frequency	Heating power	Timer	Heating temperatur e
	<i>V</i>	L×W×H(mm)	1	(W)	(kHz)	(W)	(MIN)	()
JP-010S	00	175×160×21 0	۴	60		100		0-80
JP-020S	00	265×165×22 0		120		100		
pP-0305	100	325×180×22 5	l	180		200		
	50	325×180×28 0	l	180	40	200	-1-30	
JP-040S	50	325×265×28 0	l	240	1.4	200		
JP-060S	150	360×325×28 5	l	360		300		
1	150	530×325×28 5	l	480		500		
JP-100S	500×300×2 00	530×325x32 5	30	600		500		

Industrial ultrasonic cleaner 38L~360L

	and our ou						
		Volum e	Ultrasoni c power	Frequenc y	Heating power	Timer	Heating temperature
			(W)	(kHz)	(W)	(MIN)	()
500x300x2 50	670x480x70 0	38	240-600		1500		
00	0	53	360-900		3000		
50	0	l	480-1200		3000		
I()()	I()	l	1500		4500		
100	IU .	l	1500	28/40	4500	1-99	0-80
600x500x4 50	805x705x78 0	135	1800		4500		
700x500x5 00	870x705x79 0	175	2400	600	6000		
	Tank size L×W×H(mm)) 500x300x2 50 500x350x3 00 550x400x3 50 550x450x4 00 800x300x4 00 600x500x4 50 700x500x5	Tank size Unit size L×W×H(mm) 500x300x2 670x480x70 0 500x350x3 680x530x70 00 550x400x3 730x580x77 0 550x450x4 730x618x80 00 800x300x4 940x420x80 00 600x500x4 805x705x78 50 700x500x5 870x705x79	Tank size Unit size Volum e L×W×H(mm L×W×H(mm)(L) 500x300x2 670x480x70 38 500x350x3 680x530x70 53 550x400x3 730x580x77 77 550x450x4 730x618x80 99 800x300x4 940x420x80 96 600x500x4 805x705x78 135 700x500x5 870x705x79 175	Tank size Unit size Volum c power L×W×H(mm) 500x300x2 670x480x70 38 240-600 50 0 380x530x70 53 360-900 550x400x3 730x580x77 77 480-1200 550x450x4 730x618x80 99 1500 800x300x4 940x420x80 96 1500 600x500x4 805x705x78 135 1800 700x500x5 870x705x79 175 2400	Tank size Unit size Volum c power y L×W×H(mm) L×W×H(mm) (L) (W) (kHz) 500x300x2 670x480x70 38 240-600 500x350x3 680x530x70 53 360-900 550x400x3 730x580x77 77 480-1200 550x450x4 730x618x80 99 1500 800x300x4 940x420x80 96 1500 800x500x4 805x705x78 135 1800 700x500x5 870x705x79 175 2400	Tank size Unit size Volum c power y Heating power L×W×H(mm L×W×H(mm)(L) (W) (kHz) (W) 500x300x2 670x480x70 38 240-600 50 3000 500x350x3 680x530x70 53 360-900 3000 550x400x3 730x580x77 77 480-1200 3000 550x450x4 730x618x80 99 1500 4500 800x300x4 940x420x80 96 1500 28/40 4500 600x500x4 805x705x78 135 1800 700x500x5 870x705x79 175 2400	Tank size Unit size Volum c power y

		970x770x80 0		3000	6000	
JP-720ST	1000x600x 600	1170x770x7 15	360	3600	9000	

Company introduction

Skymen Cleaning Equipment Shenzhen Co., Ltd. is one of the professional manufacturer which specialized in produce and design ultrasonic cleaner, include household ultrasonic cleaner, bentchtop ultrasonic cleaner, industrial ultrasonic cleaner, submersible transducer, etc.

Our advantages:

- 1. We are direct manufacturer factory, have ability of mass production.
- 2. With R&D department, ensure our own technological and innovative products.
- 3.We have our own brand SKYMEN and do OEM & ODM for distributors.
- 4.Different capacity is available, 0.6liter ~30liter, 38liter ~5000liter, etc.Include mini household model, bentchtop model, industrial large tank with casters model and submersible transducer pack system.
- 5.Material for plastic model is stainless steel 304 & ABS, Material for stainless steel model is Stainless steel 304/316 6.CE, RoHS, FCC, C-Tick.
- 7.1 year warranty for all goods.





Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen